

Rx FOR SUCCESS Hypertension (High Blood Pressure)

Approximately 50 million Americans have or are being treated for high blood pressure by a physician. Blood pressure is the force created by the heart as it pushes blood into the arteries and through the circulatory system. The systolic pressure is the pressure of the blood flow when the heart contracts. The diastolic pressure is the pressure between contractions. Blood pressure is measured in millimeters of mercury (mmHg). A typical blood pressure reading for an adult might be 127 systolic/78 diastolic.

Though an absolute level of elevated blood pressure is not universally accepted as hypertension, most authorities consider sustained systolic pressure over 139 mmHg and/or diastolic pressure over 89 mmHg as excess risk.

Elevated blood pressure indicates that the heart is working harder than normal, putting both the heart and arteries under a greater strain. This may contribute to heart attacks, strokes, kidney failure, and atherosclerosis. If high blood pressure is not treated, the heart may have to work progressively harder to pump enough blood and oxygen to the body's organs and tissues to meet their needs. When the heart is forced to work harder than normal for an extended time, it tends to enlarge. Arteries also suffer the effects of elevated blood pressure becoming scarred, hardened and less elastic. The heart, brain, and kidneys are particularly susceptible to damage by hypertension.

- ▶ In 90-95% of the people with high blood pressure, the cause is unknown. This type of hypertension is called essential or primary hypertension. Even though scientists do not fully understand the causes of high blood pressure, they have developed drugs that are effective over the long term in treating this disease.
- In the remaining cases, high blood pressure is a symptom of a recognizable underlying problem such as a kidney abnormality, adrenal gland tumor, or congenital defect of the aorta. This type of high blood pressure is called secondary hypertension.

When we evaluate applicants with hypertension, we generally consider all blood pressure readings within the past 12 months. We also consider other cardiovascular risk factors such as build, ECG findings, lipid levels (cholesterol), diabetes, and family history. In addition, proper medical care and proper use of prescribed medication are important factors. Generally, individuals whose average blood pressure during the past 12 months fall in the range on the chart below will not be rated.

AGE	SYSTOLIC	DIASTOLIC
18-34	140	90
35-49	150	90
50-69	150	95
70 +	160	95

Blood pressure exceeding these standard levels may be rated based on a hypertensive chart. Good family history, a normal stress electrocardiogram of adequate duration completed within the past year, or a normal echocardiogram can be used to offset blood pressures that are rated.

This material is designed to provide general information about the subject matter covered. It should be used with the understanding that we are not rendering legal, accounting, or tax advice. Such services should be provided by the client's professional advisors. Accordingly, any information in this document cannot be used by any taxpayer for purposes of avoiding penalties under the Internal Revenue Code.

This material is intended for insurance informational purposes only and is not personal medical advice for clients. Rates and availability will vary based on the satisfaction of our underwriting criteria. Underwriting rules are subject to change at our discretion. This marketing material is subject to an expiration date, and use of this material must be discontinued as of the expiration date.

Insurance issued by The Prudential Insurance Company of America and its affiliates, Newark, NJ.

NOT FOR CONSUMER USE. © 2013 Prudential Financial, Inc. and its related entities. 0192216-00002-00 Ed. 01/2013 Exp. 01/15/2015 Rx 006 Securities and Insurance Products: Not Insured by FDIC or Any Federal Government Agency. May Lose Value. Not a Deposit of or Guaranteed by Any Bank or Bank Affiliate.



SYSTOLIC	AGE	.05	86-90	91-95	96-100	101-105	106-108	109-112	>112
PRESSURE MMHG	AGE	<85	60-90	91-95	96-100	101-105	100-108	109-112	>112
<120	18-34	0	0	0	50	100	125	R	R
	35-49	0	0	0	30	55	100	125	
	50-69	0	0	0	0	30	55	100	
101 100	70+	0	0	0	0	0	50	75	5
121-130	18-34	0	0	0	50	100	125	R	R
	35-49	0	0	0	30	55	100	125	
	50-69	0	0	0	0	30	55	100	
101 105	70+	0	0	0	0	0	50	75	-
131-135	18-34	0	0	0	50	100	125	R	R
	35-49	0	0	0	30	55	100	125	
	50-69	0	0	0	0	30	55	100	
100 140	70+	0	0	0	0	0	50	75	5
136-140	18-34	0	0	30	50	100	125	R	R
	35-49	0	0	0	30	55	100	125	
	50-69	0	0	0	0	30	75	100	
141 145	70+	0	0	0	0	0	55	75	5
141-145	18-34	0	0	30	55	100	125	R	R
	35-49	0	0	30	50	75	100	125	
	50-69	0	0	0	30	50	75	100	
146 150	70+	0	0	0	0	30	55	75	5
146-150	18-34	0	30	50	75	125	175	R	R
	35-49	0	0	30	55	100	125	175	
	50-69	0	0	0	30	55	100	150	
151 100	70+	0	0	0	0	50	75	125	
151-160	18-34	30	50	75	100	150	175	R	R
	35-49	0	30	50	75	100	150	175	
	50-69	0	0	30	55	75	100	150	
161 170	70+	0	0	0	30	55	75	125	5
161-170	18-34	55	75	125	150	200	R	R	R
	35-49	50	55	100	125	175	225	R	
	50-69	30	50	55	75	100	150	250	
171 100	70+	0	30	50	55	75	100	200	D
171-180	18-34	100	125	150	200	250	R	R	R
	35-49	75	100	125	175	200	250	R	
	50-69	55	75	75	100	150	200	275	
101 100	70+	50	55	55	75	100	150 B	225 P	D
181-190	18-34 35-49	150	150	200	225	275	R	R	R
		100	125	175	200	250	R	R	
	50-69	100 75	100 75	125 75	150	175	225	R	
101 200	70+	200		225	100	125 R	200 P	R	D
191-200	18-34 35-49		200		275		R	R	R
		175	175	200	250	275	R	R	
	50-69	125	125	150	200	225	R	R	
201-210	70+ 18-34	100 P	100 P	100	150 B	175 P	R	R	D
201-210		R	R	R 250	R	R	R	R	R
	35-49	200	225	250	275	R			
	50-69	150	175	200	250	275			
>210	70+	125 R	150 P	175 R	200 R	225 P	P	R	D
>210		К	R	K	К	R	R	К	R

Ask "Rx"pert Underwriter (Ask Our Expe	ert)	
After reading the Rx for Success on Hypertension	on, use this form to	o Ask "Rx"pert Underwriter for an informal quote.
Producer	Phone	Fax
		Sex
If your client has a history of high blood pressu	re nlease answer t	the following.
1. Please list date when first diagnosed.		
Ŭ		
2. What was the most recent blood pressure re	eading? (Client may	y need to contact their physician's office for this information.)
3. Is your client on any medications?		
☐ Yes. Please give details		
□ No		
4. Please check if your client has had any of t	he following:	
□ Chest pain or coronary artery disease		□ Aneurysm
□ Family history of heart disease, high bloc	od pressure, stroke	
□ Abnormal lipid levels		Peripheral vascular disease
□ TIA or stroke		☐ Kidney disease
Enlarged heart		□ Overweight
5. Has your client smoked cigarettes in the la	st 12 months?	
□ Yes		
□ No		
6. Has a stress electrocardiogram (treadmill te	est) been complete	d within the past year?
□ Yes, normal	(Date)	
Yes, abnormal	(Date)	
□ No		
7. Has your client ever had an echocardiogram	n?	
☐ Yes. Please include a copy		
□ No		
8. Does your client have any other major healt	h problems (e.g., c	cancer, etc.)?
☐ Yes. Please give details		
□ No		