

Rx FOR SUCCESS Mitral or Aortic Valve Surgery

The heart has four values: triscuspid, pulmonary, mitral, and aortic. While all are important to normal heart function, the mitral and aortic values control blood flow in and out of the left ventricle, which is the heart's main pumping chamber. Problems with these two values include:

- Mitral stenosis is a narrowing of the valve opening, most often due to rheumatic fever.
- **Mitral insufficiency** (aka regurgitation) is the failure of the valve to close properly, thus allowing blood to flow abnormally back into the left atrium.
- **Mitral valve prolapse (MVP)** is a condition in which floppy valve leaflets (i.e., cusps) fail to close properly.
- Aortic stenosis is a narrowing of the valve opening. The cause can be congenital or acquired. A bicuspid aortic valve (i.e., only two valve cusps instead of the normal three) is an example of a congenital condition.
- Aortic insufficiency (aka regurgitation) is the failure of the valve to close properly, thus allowing blood to flow abnormally back into the left ventricle.

Significant valve disease usually requires surgical intervention. It is possible to repair some valves while others need replacement with a prosthetic valve. Prosthetic valves of artificial material, such as metal or carbon, are durable and can last decades. These valves require on-going anticoagulation (i.e., blood thinners) to prevent thromboembolic complications (i.e., blood clots).

Replacement valves can be made of organic tissues as well (i.e., pig valve, cadaver valve, bovine pericardium). They don't last as long as artificial valves (8-15 years), but anti-coagulant therapy is not necessary. Anti-coagulation itself adds a level of risk.

Surgical repair (rather than replacement) for stenotic valves involves commissurotomy (opening of tight valve with a balloon) or valvuloplasty (tightening a loose valve). Repair is commonly done for the regurgitant mitral valve, thus avoiding mitral valve replacement. Repaired valves have a better prognosis than replaced valves.

This material is designed to provide general information about the subject matter covered. It should be used with the understanding that we are not rendering legal, accounting, or tax advice. Such services should be provided by the client's own professional advisors. Accordingly, any information in this document cannot be used by any taxpayer for purposes of avoiding penalties under the Internal Revenue Code.

This material is intended for insurance informational purposes only and is not personal medical advice for clients. Rates and availability will vary based on the satisfaction of our underwriting criteria. Underwriting rules are subject to change at our discretion. This marketing material is subject to an expiration date, and use of this material must be discontinued as of the expiration date.

Insurance issued by The Prudential Insurance Company of America and its affiliates, Newark, NJ.

NOT FOR CONSUMER USE. © 2013 Prudential Financial, Inc. and its related entities. 0197903-00002-00 Ed. 05/2013 Exp. 04/15/2015 Rx 043 Securities and Insurance Products: Not Insured by FDIC or Any Federal Government Agency. May Lose Value. Not a Deposit of or Guaranteed by Any Bank or Bank Affiliate.



Mortality risk is increased when valve disease is accompanied by additional problems, such as arrhythmias, heart enlargement, or compromised heart function. These problems lead to additional ratings. A higher rating also may be given if a valve is replaced more than once, if multiple valves are replaced, or if there is disease of the aorta. Rating for valve repair (rather than replacement) is based on the residual valve impairment, but no less than Table B.

Postpone 12 months from surgery		
No more than mild residual stenosis or regurgitation		
Normal LV size and LVEF by echocardiogram		
Using age at most recent post-op echocardiogram	rdiogram Rating	
Must have echocardiogram within past 5yr for mechanical valve		
• Must have echocardiogram within past 5yr for bioprosthetic (cadaver or animal tissue) valve that is <10yr old and within past yr for valve that is \ge 10yr old		
<25 years	Decline	
25–39	Table F	
40–49	Table E	
50–59	Table D	
60–69	Table C	
70+	Table B	
Other cases	Decline	

To get an idea of how a client with a history of Valvular Heart Surgery would be viewed in the Underwriting process, use the Ask "Rx" pert Underwriter on the next page for an informal quote.

Ask "Rx"pert Underwriter (Ask Our Expert)			
After reading the <i>Rx for Success</i> on N	litral or Aortic Valve Surgery, use this	form to Ask "Rx"pert Underwriter for an informal quote.	
		Fax Sex	
If your client has had valve surgery, please answer the following questions and enclose the most recent echocardiogram.			
1. When was the surgery completed	? (Date)		
2. Please note type of valve surgery.			
□ Valve replacement □ Commissurotomy	□ Valvuloplasty □ Other		
3. Please check the type(s) of Valve	Disorder.		
 Aortic stenosis Aortic insufficiency Mitral valve prolapse 	☐ Mitral stenosis ☐ Mitral insufficiency		
4. Please note type of valve used if	replaced.		
Prosthetic (mechanical)	🗖 Tissue (porcine, bovine, ca	adaver)	
5. Have any of the following occurre	d?		
Chest pain ☐ Yes ☐ N Palpitations ☐ Yes ☐ N Trouble breathing ☐ Yes ☐ N	o Dizziness/fainting D Yes	□ No □ No	
6. Is there a history of any other hea	art disease in addition to the valve dis	sorder (e.g., coronary artery disease, etc.)?	
☐ Yes. Please give details ☐ No			
7. Is your client on any medications	?		
☐ Yes. Please give details ☐ No			
8. Has your client smoked cigarettes in the last 12 months?			
☐ Yes. Please give details			
9. Does your client have any other major health problems (e.g., cancer, etc.)?			
☐ Yes. Please give details ☐ No			